



| Premium product brands:

 **Dometic**

Perfect climate all year round

Roof top and underbunk air conditioners for your RV

| 2011

## B 3000+

Roof top air conditioner

- Built in interior 12 volt LED lights (remote controlled).
- Features both a tough ABS plastic outer shroud and a reinforced base pan.
- Comes with multi function remote control.
- Reverse cycle, heating and cooling.
- Ultra low aerodynamic profile.
- Rugged and tough construction for Australian conditions.
- Removable and washable filters.
- Compact interior panel allows more headroom.
- High capacity but lightweight.
- Low profile internal air box.
- Active carbon filters.
- Quiet 4-speed fan.
- 1 year Dometic warranty.

RRP: \$2395



### Dometic B 3000+

DIMENSIONS:		B 3000+	
Roof opening:	Length, mm	400	
	Width, mm	400	
Protruding			
Roof section:	Length, mm	980	
	Width, mm	650	
	Height, mm	235	
Inside air box:	Length, mm	560	
	Width, mm	550	
	Height, mm	50	
Weight, kg:	approx.	40.5	



up to 6.5 m vehicle length




Cooling and heating mode



For 240-volt AC stationary operation  
Control panel with integrated lighting

TECHNICAL DATA: B 3000+	
Nominal Cooling capacity, kW approx.	3.2
Heating capacity, kW approx.	3.3
Voltage, Volts	240
Amperage, Amp. cooling approx	5
Circuit Protection	10 AMP
Amperage, Amp. heating approx	5.6

Product	Ref. No.
Dometic B 3000+	B3000 plus



## B 3241 / B 3242

Roof top air conditioners

- Three models available:
  - **B 3241:** Cooling with electric heater.
  - **B 3242 Wall Control:** Reverse cycle, heating and cooling with wall mount control.
  - **B 3242:** Reverse cycle, heating and cooling.
- Features both a tough ABS plastic outer shroud. The Dometic air conditioner are truly built to handle Australian conditions.
- Quiet 3-speed fan enhances your comfort and provides controlled air circulation at the temperature you desire.
- Compact interior panel allows more headroom.
- Automotive style air louvres direct air flow right where you need it.
- Removable and washable filters.
- Ultra low aerodynamic profiles.
- 1 year Dometic warranty.



Air Distribution Box ADB (non-ducted)

**B 3241 ADB RRP: \$1780**


**B 3242 ADB RRP: \$1920**

**B 3242 WM RRP: \$1980**

### Dometic B 3241 / B 3242



B 3242 available with wall mount control. (WM)



DIMENSIONS:		B 3241 / B 3242	
Roof opening:	Length, mm	360	
	Width, mm	360	
Protruding			
Roof section:	Length, mm	1015	
	Width, mm	730	
	Height, mm	265	
Inside air box:	Length, mm	560	
	Width, mm	510	
	Height, mm	64	
Weight, kg:	approx.	50	

TECHNICAL DATA:	B 3241	B 3242 / B 3242 Wall Control
Nominal Cooling capacity, kW approx.	3.2	3.2
Heating capacity, kW approx.	1.6	3.2
Voltage, Volts	240	240
Amperage, Amp. cooling approx	6.8	6.1
Circuit Protection	10 AMP	10 AMP
Amperage, Amp. heating approx	7.95	5.74
Material, roof section	High resistant ABS	High resistant ABS

Product	Ref. No.
Dometic B 3241 ADB	B3241.301CO + 3100292.121
Dometic B 3242 ADB	B3242.301CO + 3100292.139
Dometic B 3242 WM	B3242.301CO + 3311070.000 + 3310137.000



up to 6.5 m vehicle length



Cooling and heating mode



For 240-volt AC stationary operation

## B 3341

Roof top air conditioners

- Two models available:
  - B 3341:** With standard air box.
  - B 3341 Ducted:** Ducted unit with wall mount control.
- Cooling system with a highly efficient compressor, fan motor, blower wheel and specially designed custom coils to deliver maximum cooling comfort.
- Three fan speeds for optimal air distribution.
- Electric heating element provides warmth when desired.
- Removable washable air filter.
- 1 year Dometic warranty.



Air Distribution Box ADB (non-ducted)

**B 3341 ADB RRP: \$1518**

**B 3341 Ducted RRP: \$1518**

## B 1900S / B 2200

Pop top roof mounted air conditioners

- Two models available:
  - B 1900S:** With integrated air box.
  - B 2200:** The air distribution box features 12 Volt LED mood lighting and allows you to direct the airflow forwards, backwards or both at the same time.
- Light weight. Suitable for pop top caravans.
- Aerodynamic, modern design with ultra low profile.
- Inside air vents sit flush with roof when unit is turned off (B 1900S).
- Two fan speeds for optimal air distribution (B 1900S).
- Four fan speeds for optimal air distribution (B 2200).
- Removable washable air filters.
- Suited for vans up to 5 m (external).
- Easy and fast installation.
- 1 year Dometic warranty.



**B 1900S RRP: \$1950**

**B 2200 RRP: \$2150**



B 2200 remote control



B 1900S Air Box



B 2200 Air Box

### Dometic B 3341 / B 3341 Ducted



B 3341 available with wall mount control (ducted). (WM)



Ducted air intake grill

DIMENSIONS:			
Roof opening:	Length, mm	360	
	Width, mm	360	
Protruding			
Roof section:	Length, mm	875	
	Width, mm	510	
	Height, mm	325	
Inside air box: (B 3300)	Length, mm	570	
	Width, mm	510	
	Height, mm	60	
Weight, kg:	approx.	44	
TECHNICAL DATA:			
Nominal Cooling capacity, kW approx.	3.2		
Heating capacity, kW approx.	1.6		
Voltage, Volts	240		
Amperage, Amp. cooling approx	5.6		
Circuit Protection	10 AMP		
Amperage, Amp. heating approx	7.4		
Air flow, Lit/Min	7,300		



up to 6.5 m vehicle length



Cooling and heating mode



For 240-volt AC stationary operation

Product	Ref. No.
Dometic B 3341 ADB	B3341.701EO + 3309278.004
Dometic B 3341 Ducted	B3341.701EO + 3105007.045 + 3310086.000

### Dometic B 1900S / B 2200



B 1900S



B 1900S

DIMENSIONS:			
Roof opening:	Length, mm	400	
	Width, mm	400	
Protruding			
Roof Top:	Length, mm	980	
	Width, mm	650	
	Height, mm	235	
Weight, kg:	B 1900S	approx.	33
	B 2200	approx.	34

TECHNICAL DATA:	B 1900S	B 2200
Nominal Cooling capacity, kW approx.	1.9	2.05
Heating capacity, kW approx.	1.2	1.2
Voltage, Volts	240	240

Product	Ref. No.
Dometic B 1900S	B1900S
Dometic B 2200	B2200



up to 5 m vehicle length



Cooling and heating mode



For 240-volt AC stationary operation


Control panel with integrated lighting (B 2200)

## Climaster

Underbunk reverse cycle air conditioner

The Dometic Climaster underbunk air conditioner allows the freedom to direct airflow exactly to where it is needed. A three pipe connection on the unit allows for the nozzles to be installed precisely to suit individual needs.

- One piece, precharged unit - no plumbing or connections required.
- Suited for vans up to 5 m (external).
- Easy installation.
- Reverse cycle.
- Light weight.
- 1 year Dometic warranty.



RRP: \$1950\*

## Saphir Comfort

Underbunk air conditioner

The Saphir comfort's high power means that it is able to provide sufficient cooling, right through to the last corner, for vehicles up to 5.5 m in length. At only 33 kg, it sets new standards in its class. Enjoy all the benefits and the confidence of knowing you have a test winner on board.

- At only 24 kg, it sets new standards in its class.
- For vehicles up to 5.5 m in length.
- Very quiet during operation.
- High performance.
- Four fan speeds.
- Cooling only.
- 1 year Dometic warranty.



RRP: \$1980\*

### Truma Climaster

DIMENSIONS:		
Unit size:	Length, mm	650
	Width, mm	420
	Height, mm	270
Weight, kg:	approx.	32



up to 5 m vehicle length



Cooling and heating mode



For 240-volt AC stationary operation

\* Includes 3 air outlets, nuts, 3 ducting clips & air intake vent.  
Please note: Ducting must be ordered separately.

TECHNICAL DATA:	
Nominal Cooling capacity, kW approx.	2.2
Voltage, Volts	240
Cycles, Hz	50
Normal Heating capacity, kW approx.	1.9

Product	Ref. No.
Truma Climaster	44070-01

### Truma Saphir Comfort

DIMENSIONS:		
Unit size:	Length, mm	710
	Width, mm	400
	Height, mm	290
Weight, kg:	approx.	24



up to 5.5 m vehicle length



Cooling mode only



For 240-volt AC stationary operation

\* Includes 3 air outlets, nuts, 3 ducting clips & air intake vent.  
Please note: Ducting must be ordered separately.

TECHNICAL DATA:	
Nominal Cooling capacity, kW approx.	2.4
Voltage, Volts	230 - 240 (50Hz)
Cycles, Hz	50
Normal Heating capacity, kW approx.	1.9
Recommended Generator capacity kW.	2.5
Circuit protection, Amp	10
Power Consumption, Amp	4.2
Startup Current, Amp	20 (150ms)

Product	Ref. No.
Truma Saphir Comfort	44032-02



## Dometic. The Satisfaction Network.



Dometic Australia, Queensland 1

Dometic Group is a customer-driven, world-leading provider of leisure products for the RV, automotive, truck and marine markets. We supply the industry and aftermarket with a complete range of air conditioners, refrigerators, awnings, cookers, sanitation systems, lighting, mobile power equipment, comfort and safety solutions, windows, doors and other equipment that make life more comfortable away from home. Dometic Group supplies a wide range of workshop equipment for service and maintenance of built-in air conditioners. Dometic Group also provides specially designed refrigerators for hotel rooms, offices, wine storage and transport and storage of medical products. Our products are sold in almost 100 countries and are produced mainly in wholly-owned production facilities around the world.



### Australia

**(AU) Dometic Australia, Queensland 1**  
 1 John Duncan Court  
 Varsity Lakes QLD 4227  
 phone: +61 (0)7 5507 6000  
 fax: +61 (0)7 5507 6001

**(AU) Dometic Australia, Victoria**  
 Bldg 3B, Clayton Business Park  
 1508 Centre Rd, Clayton VIC 3168  
 phone: +61 (0)3 9239 1000  
 fax: +61 (0)3 9239 1099

**(AU) Dometic Australia, Queensland 2**  
 2/129 South Pine Road  
 Brendale QLD 4500  
 phone: +61 (0)7 3205 7599  
 fax: +61 (0)7 3881 1409

**(AU) Dometic Australia, Western Australia**  
 9 Hod Way  
 Malaga WA 6090  
 phone: +61 (0)8 9209 3033  
 fax: +61 (0)8 9209 3577

Please Note: printing processes may not depict colour accurately. Dometic may introduce modifications to their products from time to time and consequently the details given in this leaflet are subject to alterations without notice. Prices are subject to change without notice. Printed Oct, 2010. 100904aircon

[sales@dometic-waeco.com.au](mailto:sales@dometic-waeco.com.au)

[www.dometic-waeco.com.au](http://www.dometic-waeco.com.au)

| Premium product brands:

